Author Index, Volume 9, Part 1

Axelrad, D. R.: Experimental study of the flow of two-phase systems at high temperature, 219

Baltrukonis, J. H., and Vaishnav, R. N.: Finite deformations under pressurization in an infinitely long, thick-walled elastic cylinder ideally bonded to a thin elastic case, 273

Baronet, C. N.: see Hoppmann II, W. H.

Beran, M.: Statistical continuum theories, 339

Berg, C. A.: A unified derivation of constitutive relations for irrecoverable deformation, 159

Bernstein, B., Kearsley, E., and Zapas, L.: Elastic stress–strain relations in perfect elastic fluids, 27

Boghetich, L., and Kratz, R. F.: The effect of branching on the melt rheology of polyethylene, 255

Brown, W. F., Jr.: Dielectric constants, permeabilities, and conductivities of random media, 357

Chartoff, R. P.: see Maxwell, B.

Eisenberg, A., and Teter, L.: The viscoelastic relaxation mechanism of inorganic polymers. I. The polyphosphoryldimethylamides, 229

Fedors, R. F., and Landel, R. F.: Statistical variability of ultimate properties of SBR gum vulcanizates, 195

Frisch, H. L.: Statistics of random media, 293

Goldfarb, H.: see Miller, C. E.

Gruntfest, I. J.: Apparent departures from Newtonian behavior in liquids caused by viscous heating, 425

Hashin, Z.: Elasticity of random media, 381

Ho, M. M. K.: see Kondner, R. L.

Hoppmann II, W. H., and Baronet, C. N.: Study of flow induced in viscoelastic liquid by a rotating cone, 417

Kearsley, E.: see Bernstein, B.

Knox, J. R.: see Metzger, A. P.

Kondner, R. L., and Ho, M. M. K.: Energy dissipation of a cohesive soil by the Fourier transformation of stress relaxation response, 145

Kratz, R. F.: see Boghetich, L.

Landel, R. F.: see Fedors, R. F.

Lohr, J. J.: Yield stress master curves for various polymers below their glass transition temperatures, 65

Maxwell, B., and Chartoff, R. P.: Studies of a polymer melt in an orthogonal rheometer, 41

Mendelson, R. A.: Polyethylene melt viscosity: shear rate–temperature superposition, 53

Metzger, A. P., and Knox, J. R.: The effect of pressure losses in the barrel on capillary flow measurements, 13

Middleman, S.: Flow of power law fluids in rectangular ducts, 83

Miller, C. E., and Goldfarb, H.: An *in vitro* investigation of ciliated activity, 135

Nakajima, N., and Wong, S. L.: Steady-state melt flow behavior of polyethylene blends, 3

Nielsen, L. E.: Stress dependence of Poisson's ratio and of the softening temperature of plastics, 243

Plazek, D. J.: Creep and recovery properties of a zinc phosphinate polymer, 119

Prager, S.: see Weissberg, H. L.

Savins, J. G.: see Walters, K.

Scheidegger, A. E.: Statistical theory of flow through porous media, 313
Teter, L.: see Eisenberg, A.
Vaishnav, R. N.: see Baltrukonis, J. H.
Valanis, K. C.: Polynomial constitutive equations for viscoelastic materials with large initial deformation, 171
Walters, K., and Savins, J. G.: A rotating-sphere elastoviscometer, 407
Weissberg, H. L., and Prager, S.: The viscosity of concentrated suspensions, 321
Wessling, R. A.: The stretching of a viscous tube over a conical mandrel, 95
Wong, S. L.: see Nakajima, N.
Zapas, L.: see Bernstein, B.

Subject Index, Volume 9, Part 1

Branching, effect of melt rheology of polyethylene, 255
Capillary flow measurements, effect of pressure losses in the barrel, 13
Ciliated activity, *in vitro* investigation of, 135
Cohesive soil, energy dissipation of, 145
Conductivities, of random media, 357
Conical mandrel, stretching of viscous tube over, 95
Constitutive equations, polynomial, for viscoelastic materials, 171
Constitutive relations, for irrecoverable deformation, 159
Continuum theories, statistical, 339
Creep properties, zinc phosphinate polymer, 119
Cylinder, elastic, finite deformations in, 273
Deformation, finite, under pressurization in elastic cylinder, 273
  irrecoverable, 159
  viscoelastic materials, 171
Dielectric constants, random media, 357
Elastic cylinder, finite deformations in, 273
Elastic fluids, stress–strain relations in, 27
Elasticity, random media, 381
Elastoviscometer, rotating-sphere, 407
Energy dissipation, cohesive soil, 145
Finite deformations, under pressurization in elastic cylinder, 273
Flow, induced in viscoelastic liquid by a rotating cone, 417
  polyethylene blends, 3
  power law fluids in rectangular ducts, 83
  through porous media, 313
  two-phase systems at high temperature, 219
Fourier transformation, of stress relaxation response, 145
Glass transition temperatures, of various polymers, 65
Mandrel, conical, stretching of viscous tube over, 95
Melt, in orthogonal rheometer, 41
Melt flow, of polyethylene blends, 3
Melt rheology, of polyethylene, effect of branching on, 255
Melt viscosity, of polyethylene, 53
Newtonian behavior, apparent departures from, 425
Orthogonal rheometer, polymer melt in, 41
Permeabilities, random media, 357
Plastics, softening temperature of, 243
Poisson's ratio, stress dependence of, 243
Polyethylene, melt rheology of, 255
  melt viscosity, 53
  steady-state melt flow, 3
Polynomial constitutive equations, for viscoelastic materials, 171
Polyphosphoryldimethylamides, viscoelastic relaxation mechanism of, 229
Porous media, statistical theory of flow through, 313
Power law fluids, flow in rectangular ducts, 83
Pressure losses in the barrel, effect on capillary flow measurements, 13
Pressurization, finite deformations under, 273
Random media, dielectric constants, permeabilities, and conductivities of, 357

elasticity of, 381
statistics of, 293
Recovery properties, zinc phosphinate polymer, 119
Relaxation mechanism, viscoelastic, of inorganic polymers, 229
Rheology, melt, of polyethylene, effect of branching on, 255
Rheometer, orthogonal, polymer melt in, 41
Rotating cone, flow induced by, 417
Rotating-sphere elastoviscometer, 407
SBR gum vulcanizates, statistical variability of properties, 195
Shear rate–temperature superposition, 53
Softening temperature, of plastics, 243
Statistical continuum theories, 339
Statistical theory of flow through porous media, 313
Statistical variability, of properties of SBR gum vulcanizates, 195
Statistics, of random media, 293
Steady-state melt flow behavior of polyethylene blends, 3
Stress dependence, of Poisson's ratio, 243
Stress relaxation response, Fourier transformation of, 145
Stress–strain relations in perfect elastic fluids, 27
Suspensions, viscosity of, 321
Two-phase systems, flow at high temperature, 219
Variability, statistical, of properties of SBR gum vulcanizates, 195
Viscoelastic liquid, flow induced in, 417
Viscoelastic materials, polynomial constitutive equations for, 171
Viscoelastic relaxation mechanism, of inorganic polymers, 229
Viscosity, of concentrated suspensions, 321
Viscous heating, liquids caused by, 425
Vulcanizates, SBR gum, statistical variability of properties, 195
Yield stress master curves, for various polymers, 65
Zinc phosphinate polymer, creep and recovery properties of, 119

Author Index, Volume 9, Part 2

Argyropoulos, G. S.: The influence of additional orientation mechanisms on the theory of streaming birefringence, 57
Bauer, W. H.: see Collins, E. A.
Becker, S. J.: See Gruntfest, I. J.
Bird, R. B.: see Sadowski, T. J.
Brodnyan, J. G., and Kelly, E. L.: Instability in the flow of synthetic latex dispersions, 371
Bruenner, R. S.: see Oberth, A. E.
Collins, E. A., and Bauer, W. H.: Analysis of flow properties in relation to molecular parameters for polymer melts, 1
Cook, N. P., Furno, F. J., and Eirich, F. R.: Polymer melt flow behavior in the barrel of a capillary rheometer, 405
Criddle, D. W.: Typical lubricating greases as linear viscoelastic materials, 287
Elder, A. S.: The transient response of of viscoelastic torsional pendulum, 187
Etter, I., and Schowalter, W. R.: Unsteady flow of an Oldroyd fluid in a circular tube, 351
Ferry, J. D.: see Meyer, H. H.
Findley, W. N.: see Onaran, K.
Freudenthal, A. M.: see Lenoe, E. M.
Fulmer, G. E.: Time, temperature, and molecular weight effects in environmental stress cracking, 121
Gillespie, T.: The flow of a molten polymer, 35
Gruntfest, I. J.: Thermistor analogs for model viscous and viscoelastic systems, 213
——, and Becker, S. J.: Thermal effects in model viscoelastic solids, 103
Gruver, J. T.: see Kraus, G.
Heller, R. A.: see Lenoe, E. M.
Ho, M. M. K.: see Kondner, R. L.
Huppler, J. D.: Experimental determination of the secondary normal stress differences for aqueous polymer solutions, 273
Johnson, J. F.: see Porter, R. S.
Kaelble, D. H.: Peel adhesion: microfracture mechanics of interfacial unbonding of polymers, 135
Kelly, E. L.: see Brodnyan, J. G.
Kondner, R. L., and Ho, M. M. K.: Viscoelastic response of a cohesive soil in the frequency domain, 329
Kraus, G., and Gruver, J. T.: Steady-state melt viscosity of plasticized hydrocarbon elastomers, 17
Lenoe, E. M., Heller, R. A., and Freudenthal, A. M.: Viscoelastic behavior of a filled elastomer in the linear and nonlinear range, 77
Magill, J. H.: see Plazek, D. J.
Meyer, H. H., and Ferry, J. D.: Viscoelastic properties of glucose glass near its transition temperature, 343
Oberth, A. E., and Bruenner, R. S.: Tear phenomena around solid inclusions in castable elastomers, 165
Onaran, K., and Findley, W. N.: Combined stress–creep experiments on a nonlinear viscoelastic material to determine the kernel functions for a multiple integral representation of creep, 299
Plazek, D. J., and Magill, J. H.: Rheological properties of 1,3,5-tri-α-naphthyl benzene, 421

Porter, R. S., and Johnson, J. F.: Viscosity measurements near a million seconds^{-1}, 49

Rigbi, Z.: The viscoelasticity of filled materials, 379

Sadowski, T. J.: Non-Newtonian flow through porous media. II. Experimental, 251

——, and Bird, R. B.: Non-Newtonian flow through porous media. I. Theoretical, 243

Schowalter, W. R.: see Etter, I.

Sutterby, J. L.: Laminar converging flow of dilute polymer solutions in conical sections, II, 227

Tsai, S. W.: A thermodynamic analysis of deformable media, 389

Subject Index, Volume 9, Part 2

Birefringence, streaming, influence of orientation mechanisms on, 57
Capillary rheometer, polymer melt flow in barrel of, 405
Cracking, environmental stress, 121
Creep, multiple integral representation of, 299
Deformable media, thermodynamic analysis of, 389
Elastomers, castable, tear phenomena around solid inclusions in, 165
filled, viscoelastic behavior of, 77
plasticized hydrocarbon, steady-state melt viscosity of, 17
Environmental stress cracking, time, temperature, and molecular weight effects in, 121
Filled elastomer, viscoelastic behavior in the linear and nonlinear range, 77
Filled materials, viscoelasticity of, 379
Flow, laminar converging, of dilute polymer solutions in conical sections, 227
non-Newtonian, through porous media, I, theoretical, 243, II, experimental, 251
of a molten polymer, 35
of synthetic latex dispersions, instability in, 371
polymer melt, behavior in the barrel of a capillary rheometer, 405
relation to molecular parameters for polymer melts, 1
unsteady, of an Oldroyd fluid in a circular tube, 351
Glass, glucose, viscoelastic properties of near its transition temperature, 343
Greases, lubricating, as linear viscoelastic materials, 287
Hydrocarbon elastomers, plasticized, steady-state melt viscosity of, 17
Inclusions, solid, in castable elastomers, 165
Latex dispersions, synthetic, instability in the flow of, 371
Mechanisms, orientation, influence on theory of streaming birefringence, 57
Melt flow, polymer, behavior in the barrel of a capillary rheometer, 405
Melt viscosity, steady-state, of plasticized hydrocarbon elastomers, 17
Micro-fracture mechanics, of interfacial unbonding of polymers, 135
Molecular parameters, polymer melts, 1
Molten polymer, flow of, 35
Non-Newtonian flow, through porous media, I, theoretical, 243, II, experimental, 251
Oldroyd fluid, unsteady flow in a circular tube, 351
Orientation mechanisms, influence on theory of streaming birefringence, 57
Parameters, molecular, polymer melts, 1
Pendulum, viscoelastic torsional, 187
Plasticized hydrocarbon elastomers, steady-state melt viscosity, 17
Polymer melts, flow in the barrel of a capillary rheometer, 405
flow of, 35
molecular parameters, 1
Polymers, aqueous solutions, secondary normal stress difference, 273

dilute solutions, laminar converging flow of, 227
interfacial unbonding of, 135
Rheometer, capillary, polymer melt flow in barrel of, 405
Secondary normal stress difference, for aqueous polymer solutions, 273
Soil, cohesive, viscoelastic response in the frequency domain, 329
Steady-state melt viscosity, of plasticized hydrocarbon elastomers, 17
Streaming birefringence, influence of orientation mechanisms on, 57
Stress cracking, environmental, 121
Stress–creep experiments, on a nonlinear viscoelastic material to determine the kernel functions for a multiple integral representation of creep, 299
Stress difference, secondary normal, for aqueous polymer solutions, 273
Tear phenomena, around solid inclusions in castable elastomers, 165
Thermistor analogs, for model viscous and viscoelastic systems, 213
1,3,5-Tri-α-naphthyl benzene, rheological properties of, 421
Viscoelasticity, of a filled elastomer in the linear and nonlinear range, 77
of filled materials, 379
properties of glucose glass near its transition temperature, 343
Viscoelastic materials, linear, lubricating greases, 287
nonlinear stress–creep experiments on, 299
Viscoelastic response, of a cohesive soil in the frequency domain, 329
Viscoelastic solids, thermal effects in, 103
Viscoelastic systems, thermistor analogs for, 213
Viscoelastic torsional pendulum, transient response of, 187
Viscosity, measurements near a million seconds^{-1}, 49
Viscosity, steady-state melt, of plasticized hydrocarbon elastomers, 17
Viscous systems, thermistor analogs for, 213